



KOPOS

# NEWS

2020 - 2022




# NEWS

## 2020 - 2022

### **KP 68/D\_KA**

- New design of junction box with soft membrane inlets
- perfect for low energy and passive houses
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm




### **KPR 68/D\_KA**

- Deep instrument box with soft membrane inlets
- perfect for low energy and passive houses
- also for instruments with greater need for space
- suitable for installation into combined frames with the pitch of 71mm

### **KU 68-45\_KA**

- Multi-purpose box suitable for most of the classic instrument or clamping installations
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm
- central column for screwless cover KO 68 connecting



### **KPR 68-70\_KA**

- Deep multi-purpose instrument box for instruments with greater need for space or larger clamping
- suitable for installation into combined frames with the pitch of 71mm

### **KU 68-45/HF\_HA**

- Multi-purpose halogen free box suitable for public houses with greater need for people and property protection
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm



### **KPR 68-70/HF\_HA**

- Deep multi-purpose halogen free box suitable for public houses with greater need for people and property protection
- suitable for installation into combined frames with the pitch of 71mm



## **PK 170X65 D\_HD**

- another dimension of the new range PK x65
- two chambers for two purposes
- perforated inner wall
- also in HF version  
PK 170X65 D HF\_HD

## **PEKE 60 HF\_HD**



- HF partition wall for HF wall channels X65
- sold per 1 m length
- easy and quick installation




## **LK 80X28 T\_FB**

## **VLK 80/T\_FA**

- New design of the trunking box and the cover for black trunkings
- suitable for instruments Tango model series

## **BLACK TRUNKINGS**





- selected types:  
LHD 20X10\_FD, LHD 20X20\_FD,  
LHD 40X20\_FD, LHD 40X40\_FD  
and LH 60X40\_FD
- including all accessories
- made of UV stable material

## **KEFZ 80\_KB**

### **KEFZ 80/VDZ\_KB**

- junction boxes for insulated facades
- 2 sets: both with a complete set for the box installation, one also with a tool for the installation
- suitable for installation into already finished facades with an insulation of 80 mm minimum
- perfect for polystyren or mineral wool insulation



## **MDFZ 80\_KB**

### **MDFZ 80/VDZ\_KB**

- mounting plate for insulated facades for small devices (cameras, sensors and smaller lights)
- 2 sets: both with a complete set for the plate installation, one also with a tool for the installation
- suitable for installation into already finished facades with an insulation of 80 mm minimum
- perfect for polystyren or mineral wool insulation

## **KSK 100\_P04J**

## **KSK 100\_P06J**

- soft membrane inlets ensure easy way for the cables while keeping IP 66 protection
- anchors to concrete, stainless steel screws, support columns, bar, ceramic clamps included in the package
- easy access to the clamp thanks to placing it on the column



## **KPZ-1\_PO**

- instrument box for fire rated partition walls with EI 15 to EI 120 certification
- ensures the integrity of the wall and thus prevent spreading the fire
- halogen free design
- soft membrane inlets

## **INOXKL**

- cable trays made of stainless steel
- available in two sidewall heights - 60 and 110 mm
- perforated sidewalls and crossbars for easy installation
- offered with accessories to make a complete route



# Follow us so you do not miss a thing!



**KOPOS**

NEWS  
COMPLETE ASSORTMENT  
CERTIFICATES  
KNS CONFIGURATOR  
SUPPORT



**KOPOS KOLÍN a.s.**

UPDATES  
NEWS  
FREE POSITIONS  
TRAININGS



**KOPOS KOLÍN a.s.**

VIDEO INSTRUCTIONS  
PRODUCT VIDEOS

**[www.kopos.com](http://www.kopos.com)**

## VIDEO INSTRUCTIONS



**KSK 100\_POxJ**



**KPZ-1\_PO**



**KEFZ a MDFZ**



**PK X65**

**KOPOS KOLÍN a.s.**

Havlíčková 432  
280 02 Kolín

+420 321 730 111  
[kopos@kopos.cz](mailto:kopos@kopos.cz)